

Received



COPY OF PAPERS
ORIGINALLY FILED

SD-7063/S-98,628
Patent

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Robert C. Moore and
D. Richard Anderson

1723

Serial No.: 10/025,718

Filed: 12/19/01

For: **System for removal of arsenic from water**

February 3, 1999

Assistant Commissioner for Patents
Office of Initial Patent Examination's
Customer Service Center
Washington, DC 20231

REQUEST FOR CORRECTION OF FILING RECEIPT

Sir:

Attached in a copy of filing receipt received in our office on February 28, 2002 and copy of Application Cover Sheet as filed. Please make the following correction:

1. System for removal of arsenic **form** water, should be: System for removal of arsenic **from** water.

Please send the corrected filing receipt to:

Sandia National Laboratories
Patent and Licensing Center 11500
Mail Stop 0161
Albuquerque, NM 87185-0161.

If any fee is required, please charge or credit Account No. 19-0131.

Robert D. Watson
Reg. No. 45,604
Ph: 505 845-3139
Fx: 505 844-2829


RECEIVED
MAY 02 2002
TC 1700

COPY OF PAPERS
ORIGINALLY FILED

UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING DATE	GRP ART UNIT	FIL FEE REC'D	ATTY DOCKET NO	DRAWINGS	TOT CLAIMS	IND CLAIMS
10/025,718	12/19/2001	1723	1718	SD7063S98628	1	65	5

Sandia National Laboratories
P. O. Box 5800 - MS-0161
Albuquerque, NM 87185-0161

FEB 25 2002

SANDIA NATIONAL
LABORATORIES
PATENT DEPT.

CONFIRMATION NO. 7995

FILING RECEIPT



OC00000007523589

Date Mailed: 02/25/2002

Receipt is acknowledged of this nonprovisional Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Customer Service Center. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Robert C. Moore, Edgewood, NM;
D. Richard Anderson, Albuquerque, NM;

Domestic Priority data as claimed by applicant

Foreign Applications

If Required, Foreign Filing License Granted 02/22/2002

Projected Publication Date: Request for Non-Publication Acknowledged

Non-Publication Request: Yes

Early Publication Request: No

Title

System for removal of arsenic from water
from

Preliminary Class

210

RECEIVED
MAY 02 2002
TC 1700

LICENSE FOR FOREIGN FILING UNDER

Copy sent to DOE 3/4/02